



## Safety Data Sheet

Supersedes: 03/05/15

Prepared: 06/21/17

### Section 1 - Product and Company Identification

#### Product Identifier

**Product Name** Wood Cleaner

#### Other means of identification

**Synonyms** None

#### Recommended use of the chemical and restrictions on use

**Recommended Use** Deep cleans dirt, grease, grime and old wax from wood.

**Uses advised against** No information available

#### Details of the supplier of the safety data sheet

**Manufacturer** Holloway House, Inc  
309 Business Park Drive  
Fortville, IN 46040

**Emergency Telephone:** Inside United States: (800) 255-3924  
Outside United States: (813) 248-0585

### Section 2 - Hazards Identification

#### Classification

This product is considered hazardous per the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**GHS Classification:** Aspiration Hazard (Category 1)

GHS Classification Scale (1 = severe hazard; 4 = slight hazard)

#### GHS Label Elements including precautionary statements

**Signal Word:** Danger

**Pictogram:**



**Hazard Statement(s):**

H304 - May be fatal if swallowed and enters airways.

**Precautionary Statement(s): Prevention**

- P101 - Keep out of reach of children.
- P264 - Wash hands thoroughly after handling.

**Response**

- P301 + P310 - IF SWALLOWED: Immediately call a POISON CONTROL or doctor/physician.
- P301 + P331 - IF SWALLOWED: Do NOT induce vomiting.

**Storage**

- P404 - Store in a closed container.
- P405 - Store locked up.

**Disposal**

- P501 - Dispose of contents/ container by any method in accordance with local, state and federal laws and regulations. Best method is to recycle or reuse for intended purpose. Consult local authorities for disposal in public sewer. Do not dispose into storm drain, stream, river or other waterways.

**Hazards not otherwise classified (HNOC)**

Not Applicable

**Unknown Toxicity**

0% of this mixture consists of ingredient(s) of unknown toxicity

**Other Information**

**Normal Household Use:** Health injuries are not known or expected under normal use as directed.

**Route(s) of Entry:** Eye, Skin contact, Ingestion.

**Hazardous Materials Identification System (HMIS):**

**HMIS Ratings:**

- Least = 0
- Slight = 1
- Moderate = 2
- High = 3
- Extreme = 4

- Health 1
- Flammability 1
- Reactivity 0
- Equipment B

**Section 3 - Composition / Information on Ingredients**

| <u>Chemical Name</u>                        | <u>CAS No.</u> | <u>%WT</u> | <u>Trade Secret</u> |
|---|----------------|------------|---------------------|
| Distillates (petroleum), Hydrotreated Light | 64742-47-8     | > 95       | *                   |

\* = The exact percentage (concentration) of composition has been withheld as a trade secret

**Section 4 - First Aid Measures**

**First Aid Measures**

Skin Contact

Wash exposed skin areas with soap and water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation develops and persists.

|             |   |
|-------------|---|
| Eye Contact | Flush thoroughly with water for at least 15 minutes, holding eyelids open. If irritation occurs, seek medical attention.                              |
| Inhalation  | Get to fresh air. If breathing difficulty should occur, seek medical attention immediately.   |
| Ingestion   | Do not induce vomiting. Drink 2-3 glasses of water. Seek medical attention if symptoms appear. Never give anything by mouth to an unconscious person. |

**Most important symptoms and effects, both acute and delayed**

May be fatal if swallowed and enters airways.  
 Nausea, upset stomach, diarrhea if ingested. May be irritating to eyes, nose, throat, and lungs.  
 Repeated exposure may cause skin dryness or cracking.

**Indication of any immediate medical attention and special treatment needed**

If ingested, material may be aspirated into the lungs and cause chemical pneumonitis.  
 Do not induce vomiting. Treat symptomatically.

**Section 5 - Fire Fighting Measures**

**Suitable Extinguishing Media**

Dry chemical, carbon dioxide (CO2), foam, water spray/fog

**Unsuitable Extinguishing Media**

Straight streams of water

**Specific Hazards Arising from the Chemical**

Carbon oxides, smoke, fumes.

**Protective equipment and precautions for firefighters**

Evacuate area. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

**Section 6 - Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures**

Floors will become slippery. Avoid walking in product. Wear appropriate personal protective equipment (Sec. 8)

**Environmental Precautions**

Large spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

**Methods and materials for containment and cleaning up**

If possible, turn leaking container to prevent further liquid from escaping. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers.

## Section 7 - Handling And Storage:

**Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mist.

**Conditions for safe storage, including any incompatibilities**

Store in a cool dry area in a closed container. Open slowly in order to control possible pressure release.

**Incompatible Products**

Strong oxidizing agents.

**KEEP OUT OF THE REACH OF CHILDREN**

## Section 8 - Exposure Controls / Personal Protection

**Control Parameters**

No information available on mixture.

Exposure Limits/standards of components (shown for guidance only)

| Chemical Name   | ACGIH TLV | OSHA PEL | ExxonMobil                      |
|---|-----------|----------|---------------------------------|
| Distillates (petroleum), hydrotreated light<br>64742-47-8 | -         | -        | TWA: 166 ppm<br>TWA: 1200 mg/m3 |

*ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value*

*OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits*

*NIOSH REL: National Institute of Occupational Safety and Health - Recommended Exposure Limits*

*AIHA (WEEL): American Industrial Hygiene Association (Workplace Environmental Exposure Level)*

*TWA - Time Weighted Average*

*STEL - Short Term Exposure Limit*

**Appropriate Engineering Controls**

Adequate ventilation should be provided so that exposure limits are not exceeded.

**Individual Protection Measures, such as Personal Protective Equipment (PPE)**

**Respiratory Protection**

If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. A Half-faced filter respirator may be considered. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.

**Ventilation**

Normal ventilation.

**Protective Gloves**

If prolonged or repeated contact is likely, chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet style gloves.

**Eye Protection**

Safety glasses or eye goggles not necessary, but recommended for prolonged contact.

**Other Protection  
Hygienic Practices**

None

Always observe good personal hygiene measures, such as washing after handling the material before eating and/or drinking.

## Section 9 - Physical and Chemical Properties

### Physical and Chemical Properties

|   |                             |
|---|-----------------------------|
| <b>Appearance</b> (physical state / color)    | Clear, Light Purple Liquid  |
| <b>Odor</b>                                   | Coconut                     |
| <b>Odor Threshold</b>                         | No information available    |
| <b>pH</b>                                     | No information available    |
| <b>Melting point / Freezing point</b>         | No information available    |
| <b>Initial boiling point / boiling range</b>  | 441°F - 487°F (227C - 253C) |
| <b>Flash Point</b>                            | 205°F (96C) - ASTM D-93     |
| <b>Evaporation Rate: (n-butyl acetate =1)</b> | 0.5                         |
| <b>Flammability (solid, gas)</b>              | No information available    |
| <b>Flammability Limit in Air (% in air)</b>   |                             |
| <b>Upper flammability limit</b>               | No information available    |
| <b>Lower flammability limit</b>               | No information available    |
| <b>Vapor Pressure</b>                         | No information available    |
| <b>Vapor Density</b>                          | No information available    |
| <b>Specific Gravity</b>                       | 0.8                         |
| <b>Relative Density (lbs./gal.)</b>           | 6.65                        |
| <b>Solubility In Water</b>                    | Negligible                  |
| <b>Solubility in other solvents</b>           | No information available    |
| <b>Partition coefficient: n-octanol/water</b> | 3.3 - 6                     |
| <b>Autoignition Temperature</b>               | No information available    |
| <b>Decomposition Temperature</b>              | No information available    |
| <b>Viscosity</b>                              | No information available    |

**Other Information** No information available

## Section 10 - Stability and Reactivity

|  |  |
|--|--|
| <b><u>Reactivity</u></b>                         | No information available                             |
| <b><u>Chemical Stability</u></b>                 | Stable under recommended storage conditions.         |
| <b><u>Possibility of hazardous reactions</u></b> | None with normal use                                 |
| <b>Hazardous Polymerization</b>                  | Does not occur                                       |
| <b><u>Conditions to avoid</u></b>                | Open flames  |
| <b><u>Incompatible materials</u></b>             | Strong oxidizing agents.                             |
| <b><u>Hazardous Decomposition Products</u></b>   | Material does not decompose at ambient temperatures. |

## Section 11 - Toxicological Information

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for this product is not available.   |
| <b>Eye contact</b>  | Specific test data for this product is not available. May cause temporary eye irritation.   |
| <b>Skin contact</b> | Specific test data for this product is not available. Prolonged exposure may defat the skin resulting in minor irritation.  |
| <b>Ingestion</b>    | Specific test data for this product is not available. May be fatal if aspirated into the lungs during ingestion or vomiting, which may cause chemical pneumonitis or pulmonary edema. |

### Component Information

| Chemical Name  | Oral LD50            | Dermal LD50             | Inhalation LC50                       |
|--|----------------------|-------------------------|---------------------------------------|
| Distillates (petroleum), hydrotreated light 64742-47-8 | [Rat]: > 5,000 mg/kg | [Rabbit]: > 5,000 mg/kg | [Rat, 8 h]: > 5,000 mg/m <sup>3</sup> |

### Symptoms related to the physical, chemical and toxicological characteristics

Not established

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                        |                 |
|------------------------|-----------------|
| <b>Sensitization</b>   | Not established |
| <b>Chronic Effects</b> | Not established |

### Numerical measures of toxicity

No Information Available

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
| None          |       |      |     |      |

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety and Health Administration of the US Department of Labor

\* No ingredients contained in this mixture have been classified as a carcinogen by any of the agencies.

## Section 12 - Ecological Information

### Ecotoxicity

No data available on mixture.  
Not expected to be harmful to aquatic organisms.  
Not expected to demonstrate chronic toxicity to aquatic organisms.

### Component Information

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Daphnia Magna (Water Flea) |
|---------------|-------------------|------------------|----------------------------|
| None          | -                 | -                | -                          |

### Persistence and degradability

No information available

### Bioaccumulative potential

No information available

### Mobility in soil

No information available

### Other adverse effects

No information available

## Section 13 - Disposal Considerations

### Waste Disposal Method:

Any method in accordance with local, state and federal laws and regulations. Best method is to recycle or reuse for intended purpose. Consult local authorities for disposal in public sewer. Do not dispose into storm drain, stream, river or other waterways.

## Section 14 - Transport Information

### U.S. - Department Of Transportation (DOT):

UN Number: UN1268  
UN Proper Shipping Name: Petroleum distillates, n.o.s.  
Transport Hazard Class: 3  
Packing Group III

**Limited Quantity Exemption:** *Not regulated if transported in containers that are 5L or less; per Section 173.150 of 49 CFR.*

## Section 15 - Regulatory Information

### International Inventories:

#### TSCA (40 CFR 707, Subpt. D)

The components in this product are listed on the Toxic Substances Control Act (TSCA) inventory.

### US Federal Regulations:

#### CERCLA (40 CFR 302.4)

If this product is accidentally spilled it is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CECRLA). We recommend you contact local authorities to determine if there may be other local reporting requirements.

#### SARA 313 (TRI Reporting)

Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name | CAS No. | Weight % |
|---------------|---------|----------|
| None          | -       | -        |

#### SARA 311/312

|                       |     |
|-----------------------|-----|
| Acute Health Hazard   | Yes |
| Chronic Health Hazard | Yes |
| Fire Hazard           | No  |
| Pressure Hazard       | No  |
| Reactive Hazard       | No  |

### US State Regulations:

#### California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or any other reproductive harm.

#### US State Right-to-Know Regulations

| Chemical Name   | New Jersey | Massachusetts | Rhode Island | Illinois | Pennsylvania |
|---|------------|---------------|--------------|----------|--------------|
| Distillates (petroleum), hydrotreated light<br>64742-47-8 | X          |               |              |          | X            |

## Section 16 - Other Information

**Revisions:**

03/05/15 - Converted to GHS compliant SDS  
06/21/17 - Updated Sections 9 and 15.

**Disclaimer:**

This information is based on the data available to us and is accurate and reliable to the best of our knowledge at the time of this printing. However, no warranty is expressed or implied regarding the accuracy or completeness of the information contained herein. Since the use of this information and of these opinions and conditions of use of this product are not within the control of Holloway House, Inc., it is the users obligation to determine the conditions of the use of this product. Buyer / User assumes all risk, liabilities and uses of this material under these conditions.